


NEW

T132AE Series

High Temp Braided Steel Wire Air Hose



View Up To Date Info



← SCAN OR VISIT
[KOA.link/
T132AE](https://KOA.link/T132AE)

GENERAL APPLICATIONS

- High pressure compressed air hose designed for heavy-duty use in mines, quarries, construction and industry where long service life and maximum safety is required.

CONSTRUCTION

Tube – Black Chlorobutyl – resistant to oil mist (maximum 6 parts/million) and high temperature resistant

Reinforcement – High tensile steel wire braids

Cover – Blue EPDM – abrasion and ozone resistant – pin pricked

WORKING PRESSURE

Constant Pressure –
80 Bar (1200 PSI)

SERVICE TEMPERATURE RANGE

-40°F (-40°C) to +300°F (+150°C)

Peaks of 450°F (+232°C)

BRANDING

ALFAGOMMA – ITALY – 132 High Temp STEEL AIR (embossed)

Series Number	ID		OD		Max. Working Pressure (psi)	Min. Bending Radius (in) at 68°F	Standard Length (ft)	Weight (lbs/ft)
	(in)	(mm)	(in)	(mm)				
T132AE150X100	1 1/2	38	2.13	54	1200	7 1/2	100	1.40
T132AE200x100	2	51	2.64	67	1200	10	100	1.83

COUPLING SUGGESTIONS: Designed for use with crimped steel fittings.

i Kuriyama offers a full line of Quick-Acting couplings, pin lug shank couplings and combination nipples. Refer to current Kuriyama-Couplings™ and Accessories Catalog for type – KOA.link/KOA-Couplings-Catalog

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.