



SA-SS Series (316 Stainless Part A x A) Male Coupler X Male Coupler

GENERAL APPLICATIONS

Kuriyama Camlock Couplings are intended for use in many industrial applications. To learn more, please refer to pages 296-297 in this catalog.

FEATURES AND ADVANTAGES

- High quality design made to withstand rigorous applications found in industrial markets.
- Stainless steel alloy is analyzed on every melt, and specially designed for high tensile strength, rigidity, and impact resistance.

MATERIAL SPECIFICATIONS

- ASTM stainless steel alloy.
- Complies with Mil-Spec A-A-59326 for interchangeability.

VIEW ONLINE



SCAN FOR INFO
or visit
[KOA.link/SA-SS](https://koa.link/SA-SS)

Part Number	Male Coupler Size (in)	Male Coupler Size (in)	PSI Rating at 70°F	ASTM Specification	Weight Each (lbs)	Standard Carton
SA-SS150	1 1/2	1 1/2	250	A666/316	1.76	18
SA-SS1520	1 1/2	2	250	A666/316	2.10	20
SA-SS200	2	2	250	A666/316	2.48	20
SA-SS2030	2	3	150	A666/316	3.14	10
SA-SS300	3	3	150	A666/316	4.61	10
SA-SS3040	3	4	150	A666/316	5.28	6
SA-SS400	4	4	150	A666/316	7.28	6

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.